Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

06,10

RECEIVED

Forest Nursery and Seed Co.

J. H. H. BOYD, Proprietor.

R.F.D. No. 2. McMINNVILLE, TENN.

FALL 1908.

SHIPPING—The shipping season ends April 1st. Parties ordering goods should indicate whether they wish them sent by freight or express, also route. In the absence of these instructions, we forward them to the best of our judgment, but in no case assume the responsibility after consignment to purchaser. Freight shipments released at \$3.00 per cwt., unless otherwise instructed.

TERMS—Cash or security before shipment of goods, except with established firms, if unknown to us. Satisfactory reference will be required before goods are forwarded. Orders to be sent C. O. D. should be accompanied by one-fourth cash. 5 per cent discount for cash with order. No further discount, except agreed on.

PRICES are limited to the Fall of 1908, and supersede all previous lists. 500 trees at 1,000 rates.

CAUTION—We accept all orders upon condition that they shall be void should any injury befall stock from frost, fire, hail storms or other causes over which we have no contral, and subject to being unsold.

CLAIMS for deduction will receive consideration only when made within five days after receipt of goods. Goods to be held in such cases subject to our order.

PACKING—Prices contained herein are net; cost of baling and packing will be added, except on large orders by special arrangement.

CERTIFICATE OF INSPECTION will be furnished with each shipment.

BOXING AND PACKING CHARGES.

| 30x30 in. x 10 feet | \$2.50 |
|----------------------------|--------|
| 24x30 in. x 10 feet | \$2.00 |
| Other sizes in proportion. | |

NURSERY GROWN STOCK.

Note--S, Seedlings; TR, Transplanted.

| | Doz. | 100 | 1000 | 10,000 |
|--|------|--------|---------|---------|
| Ampelopis Quinquefolia, Va. creeper, 2 yr | 40 | \$2 00 | \$15 00 | |
| Ampelopis Quinquefolia, Va. creeper, 1 yr | 20 | 1 00 | 8 00 | |
| Amorphia Fruticosa (false indigo). L. June. | | | | |
| Long, pendulous branches, the indigo-colored | | | | |
| flowers in finger-like spikes. Valuable for | | | | |
| massing. Good on poor soil. 1 to 2 ft | 25 | 80 | 5 00 | 40 00 |
| 2 to 3 ft. | 40 | 1 00 | 8 00 | 60 00 |
| Althea Rosea, 4 to 8 in | 10 | 20 | 1 00 | 7 50 |
| Althea Rosea, mixed, 6 to 12 in | -20 | 30 | 1 50 | 12 50 |
| Althea Rosea, mixed, 1 to 2 ft | 30 | 40 | 3 00 | 25 - 00 |
| Althea Rosea, mixed, 2 to 3 ft | 40 | 2 00 | 10 00 | |
| Better Grade | 60 | 3 00 | 25 00 | |
| Acer Dasycarpum silver maple, 6 to 12 in | 15 | 25 | 1 50 | |
| Acer Dawcarpum, silver maple, 1 to 2 ft | 20 | 50 | 3 50 | 30 00 |
| Box Elder, 1 to 2 ft | 30 | 50 | 4 00 | 35 00 |
| Balm of Gilead, 2 to 3 ft | 50 | 3 00 | 25 00 | |
| Balm of Gilead, 3 to 4 ft | 80 | 4 00 | 35 00 | |
| Carolina Poplar, 1 to 2 ft | 40 | 3 00 | 15 00 | |
| Carolina Poplar, 2 to 4 ft | 80 | 4 00 | 35 00 | |
| Carolina Poplar, 5 to 7 ft | 1 00 | 6 00 | | |

NURSERY GROWN STOCK—Continued.

| Doz. | 100 | 1000 | 10,000 |
|--|-----------------------------|-----------------------------|-------------------------------|
| Calycanthus, sweet shrub, 6 to 12 in 20 | 60 | 5 00 | 40 00 |
| Calycanthus, sweet shrub, 1 to 2 ft | 1 00 | 8 00 | |
| Calycanthus, sweet shrub, tr 2 to 3 ft | 10 00 | 2 00 | 25 00 |
| Celtis Occidentalis, hackberry, 6 to 12 in 15 Celtis Occidentalis, hackberry, 1 to 2 ft 25 | 40 50 | 3 00 4 50 | $\frac{25}{40} \frac{00}{00}$ |
| Cercis Canadensis, red bud, 1 to 2 ft 25 | 50 | 4 00 | 10 00 |
| Cercis Canadensis, red bud, 2 to 3 ft 30 | 60 | 5 00 | 40 00 |
| Cercis Canadensis, red bud, 3 to 5 ft 40 | 80 | 7 00 | |
| Cornus Coricana, 1 to 2 ft | 40 | 3 00 | |
| Cornus Stelenifers, evier downed, 1 to 2 ft | 50 | 4 00 | |
| Cornus Stolonifera, ozier dogwood, 1 to 2 ft 25 Cornus Stolonifera, ozier dogwood, 2 to 3 ft 50 | 50 80 | $\frac{4}{5} \frac{00}{00}$ | |
| Cornus Stolonifera, ozier dogwood, 4 to 5 ft. 50 | 2 00 | 18 00 | |
| Elm, American white, 6 to 12 in 10 | 25 | 1 50 | 14 00 |
| Elm, American white, 1 to 2 ft 15 | 40 | 3 50 | 30 00 |
| Fraximus Virdis, green ash, 6 to 12 in 10 | 25 | 1 50 | 13 50 |
| Fraximus Virdis, green ash, 2 to 3 ft | 1 00 | 5 00 8 00 | 40 00 |
| Hamelis Virginica, witch hazel, tr 1 to 2 ft 50 | $\frac{1}{2} \frac{60}{50}$ | 20 00 | |
| Hamelis Virginica, witch hazel, tr 2 to 3 ft 1 oo | 5 00 | | |
| Hibiscus Moscheutus, s 2 to 3 ft | 60 | 5 00 | |
| Lirodendron, tulip poplar, s 6 to 12 in 10 | 40 | 3 00 | 25 00 |
| Lirodendron, tulip poplar, s 1 to 2 ft | 80 | 5 00 | 40 00 |
| Lirodendron, tulip poplar, s 2 to 4 ft | 2 00 | 7 20 14 00 | 60 00 |
| Lirodendron, tulip poplar, tr 2 to 3 ft | 3 00 | 20 00 | |
| Lirodendron, tulip poplar, tr 3 to 4½ ft1 oo | 4 00 | 30 oo | |
| Lirodendron, tulip poplar, tr 5 to 8 ft 2 oo | 8 00 | | |
| Liquidamber Styraciflua, sweet gum, 6 to 12 in. 10 | 40 | 3 00 | |
| i quidamber, sweet gum, tr 1 to 2 ft | $\frac{2}{2} \frac{00}{50}$ | | |
| Liquidamber, sweet gum, tr 2 to 3 ft | 5 00 | | |
| Locust, black, s 6 to 12 in 10 | 20 | 1 25 | 11 00 |
| Locust, black, s 1 to 2 ft | 40 | 3 00 | 25 oo |
| Locust, black, s 2 to 4 ft 25 | 50 | 4 00 | 32 oo |
| Locust, black, s 4 to 5 ft | 1 00 | 6 00 | 50 00 |
| Laurus Benzoin, spicewood, tr 1 to 2 ft | $\frac{2}{4}$ 00 | 15 00 35 00 | |
| Pavia Flavia, yellow buckeye, s 1 yr 15 | 80 | 6 00 | |
| Juniperous Virginiana, red cedar, 6 to 12 in 50 | 2 00 | 18 oo | |
| Juniperous Virginiana, red cedar, 1 to 2 ft 1 00 | 8 00 | | |
| Robina Hispida, moss locust, tr 1 to 3 ft 50 | 1 00 | 35 00 | |
| Sycamore, plane tree, tr 5 to 7 ft | 6 oo 60 | 50 oo 5 oo | 45 00 |
| Sycamore, plane tree, s 2 to 3 ft 40 | 80 | 6 00 | 50 oo |
| Styrax Japonica. Japan. Low-growing shrub | | | |
| or dwarf tree; small, dogwood-like leaves and | | | |
| smooth bark; branches horizontal. Flowers | | | |
| small, white, and bell-like in shape, hanging | 9 00 | 70.00 | |
| along the branches. tr 1 to 2 ft | 8 00 | 70 oo 3 oo | 20 00 |
| Texas Umbrella, s 2 to 3 ft 40 | 1 00 | 6 00 | -0 00 |
| Vitis Cordifomis, winter grapes, tr | 5 00 | | |
| Vitis Labruska, fox grapes, ir 2 yr 75 | 5 00 | | |
| Wistaria Magnifica, s 1 yr., 6 to 12 in 30 | 1 00 | 8 00 | |
| Wistaria Magnifica, s 2 yr., 1 to 2 ft | $\frac{3}{2} \frac{6}{50}$ | 20 oo 22 oo | |
| Wistaria Magnifica, tr 2 yr 2 ft | 70 | 6 00 | |
| Walnut, black, s 2 to 3 ft | $1 \ 25$ | 10 oo | 80 oo |
| Walnut, white, (butternuts) s 1 to 2 ft 30 | 70 | 6 00 | |
| Walnut, white, (butternuts) s 2 to 3 ft 40 | 80 | 8 00 | |
| Walnut, Japan, siebold, s 1 to 2 ft | 4 00 | 35 oo | 60 00 |
| Yucca Filamentosa, 2 yr. s small | 1 oo 1 50 | 7 oo 10 oo | 80 00 |
| _ acca _ namentosa, _ y1. 5 190. 1 10 | 1 00 | 10.00 | 50 00 |

TREE SEEDS.

| Note—c, clean seed; db, dried berries. | Oz | 1b | 10lbs | 100lbs |
|--|-----------------|---|---|----------------|
| Acer Saccharinum, sugar maple | 10 | 40 | 3 00 | 25 00 |
| Ailanthus Glandulosus, tree of Heaven c | 10 | 20 | 1 80 | 16 00 |
| Ampelopis Quinquofolia, Va. creeper db | 10 | 50 | 4 00 | 0.5 |
| Althea Rosea, rose of Sharon, mixed seedc | 10 | 50 | 4 00 | 35 oo |
| Amorpha Fruticosa, false indigo | $\frac{10}{10}$ | 1 oo 50 | $\begin{array}{c} 8 \text{ oo} \\ 4 \text{ oo} \end{array}$ | |
| Andromedia Arborea, sourwood c Berberis Thunbergi, Japanese barberry db | 10 | 1 00 | 8 00 | |
| Crateagus Crus-galii, cockspur thorndb | 5 | 20 | 1 50 | |
| Carpinus Americana, water beechc | 10 | 40 | 3 oo | 25 oo |
| Calicarpa Americana, French mulberrydb | 10 | 30 | 2.50 | * > * 0 |
| Corylus Americana, hazlenut | 5 | 20 | 1 50 | 12 50 |
| Cornus Florida, white flowering dogwood db Chionanthus Virginica, white fringe db | 10 5 | $\frac{20}{40}$ | $\begin{array}{c} 1\ 50 \\ 3\ oo \end{array}$ | $12\ 50$ |
| Cornus Alternifoliadb | 10 | 40 | 3 50 | |
| Cornus Paniculata, white berried dogwood.db | 10 | 40 | 3 00 | |
| Cornus Stolonifero, red ozier dogwooddb | 10 | 30 | $2\ 50$ | 1 |
| Diospyros Virginiana, American persim'on c | 10 | 25 | $\frac{2}{9}$ 00 | $18 \ 00$ |
| Dirca Palustris, leatherwood | 15 | $\begin{array}{c} 1 \text{ oo} \\ 2 \text{ oo} \end{array}$ | $\frac{8}{18}$ oo | |
| Exocorda Grandiflora, pearl bushc Fagus Americana, American beech | $\frac{20}{10}$ | $\frac{2}{25}$ | 2 00 | 18 oo |
| Fraximus Virdis, green ashc | 10 | 20 | 1 80 | 15 oo |
| Halesia Tetrapteria, silver snow drop c | 10 | 60 | 5 00 | 45 oo |
| Hamamelis Virginica, witch hazelc | 10 | 60 | 5 00 | 45 oo |
| Hybiscus Muschefus c | 15 | 60 | 5 00 | |
| Ilex Decidua, deciduous hollydb | 10 | 30 | 2 60 | |
| Ilex Opaca, American hollydb Ilex Verticulatadb | $\frac{5}{10}$ | $\frac{20}{30}$ | $\begin{array}{c} 1\ 50 \\ 2\ 50 \end{array}$ | |
| Juniperus Virginiana, red cedardb | 5 | 20 | $\frac{2}{2} \frac{50}{50}$ | 20 oo |
| Koelreuteria Paniculata, Chin. bladder nut.c | 10 | 50 | 4 00 | |
| Kentucky coffee tree c | 5 | 25 | 2 oo | 18 oo |
| Kalmia Latifolia, laurel c | 20 | 2 00 | 2 50 | |
| Laurus Benzoin, spicewooddb | 10 | 30 | 2 50 | 25 00 |
| Ligustrum Ciliatum | $\frac{10}{15}$ | $\begin{array}{c} 60 \\ 1 \ 50 \end{array}$ | 5 00 | 25 oo |
| Locust, black | 10 | 30 | 2 50 | 20 oo |
| Locust, honey | 10 | 30 | $\frac{2}{2} \frac{50}{50}$ | 20 oo |
| Mulberry, Russian | 15 | 1 60 | 15 oo | |
| Magnolia Acuminita, cucumber tree db | 10 | 80 | 7 00 | 60 oo |
| Magnolia Macrophylla, flowering magnolia.db | 10 | 70 | 7 00 | 50 00 |
| Magnolia Tripitala, umbrella magnolia db Negundia Aceroids, box elder | $\frac{10}{5}$ | $\frac{70}{20}$ | $\begin{array}{c} 6 \text{ oo} \\ 1 50 \end{array}$ | 50 oo 14 oo |
| Nyssa Multiflora, black gumdb | 5 | 20 | 1 80 | 14 00 |
| Rhamnus Carolinus, American buckthorn db | 10 | 30 | $\frac{1}{2} \frac{1}{50}$ | 1100 |
| Rhododendron Maximusdb | 20 | 2 oo | | |
| Prunus Serotina, wild black cherry | $\tilde{2}$ | 20 | 1.80 | 16 00 |
| Rhus Copallina, dwarf sumachdb | 5 5 | 20 | 1 50 | |
| Rhus Galbra, smooth sumach db Sassafras Officinale db | 10 | $\frac{20}{30}$ | $\frac{1}{2} \frac{50}{50}$ | |
| Symphoricarpus Vulgaris | 10 | 50 | 4 00 | |
| Sambucus Canadensis, common elderdb | 10 | 40 | 3 oo | |
| Tecoma Radicans, trumpet flowerdb | 10 | 60 | 5 oo | |
| Texas Umbrella or China treedb | 10 | 20 | 1 80 | 25.00 |
| Tilla Americana, lindendb | 10 | 35 | 3 00 | $25\ 00$ |
| Viburnum Acerfolium, maple le'd ar.w'ddb Viburnum Nudum, withe roddb | $\frac{10}{10}$ | $\frac{50}{40}$ | $\frac{4}{3}$ oo | |
| Viburnum Dentatum | 10 | 50 | 4 00 | |
| Viburnum Prunifolium, black haw db | 10 | 30 | 2 50 | |
| Yucca Filamentosa, Adam's needle c | 20 | 2 00 | | |
| EVERGREENS—Co | lle | cted | | |
| | Doz | 100 | 1000 | 10,000 |
| Abies Canadensis, hemlock spruce, 6 to 12 in | 15 | 50 | 3 00 | $25\ 00$ |
| do do 1 to 2 ft | $\frac{15}{25}$ | 1 00 | 6 00 | 50 00 |
| Ilex Opaca, American holly, 6 to 12 in | $\frac{25}{25}$ | $\frac{1}{1} \frac{25}{25}$ | 10 00 | 55 00 |
| do do $1 \text{ to } 2 \text{ ft } \dots$ | 40 | 2 25 | 15 00 | 221 |
| Juniperous Virginiana, red cedar, 6 to 12 in | 20 | 50 | 3 00 | 25 00 |
| do do 1 to 2 ft | 30 | 1 00 | 7 00 | 50 00 |

COLLECTED SEEDLINGS.

Collected Seedlings should be cut back in nursery rows to line out.

| Confected Seedlings should be cut back in | nurse | ry rows | to line o | out. |
|--|-----------------|---------------------|-----------------------------|--|
| | Doz | 100 | 1000 | 10,000 |
| Acer Saccharinum, sugar maple, 6 to 12 in | 10 | 25 | 1 50 | 12 50 |
| | | | | |
| do do 1 to 2 ft | 15 | 35 | 2 50 | 20 00 |
| Acer Rubrum, scarlet maple, 6 to 12 in | 25 | 40 | 3 00 | 25 00 |
| do do 1 to 2 ft | 30 | 50 | 4 00 | 35 oo |
| Carpinus Americana, water beech, 6 to 12 in. | 15 | 40 | 3 00 | 20 oo |
| do do 1 to 2 ft | 20 | 60 | 4 00 | 30 oo |
| Cladrastis Tinctora, yellow wood, 6 to 12 in | 15 | 60 | 5 00 | 40 oo |
| do do 1 to 2 ft | 40 | 1 25 | 10 oo | |
| Cornus Florida, wh. flow. dogwood, 6 to 12 in | 15 | 40 | 3 00 | 25 00 |
| do do $1 \text{ to } 2 \text{ ft.}$ | 20 | 50 | 4 00 | 35 00 |
| do do 2 to 4 ft | 35 | 80 | 6 00 | 50 oo |
| Corylus Americana, hazlenuts, 2 to 3 ft | 30 | 70 | 5 00 | 50 00 |
| Cork Elm, 6 to 12 in | 15 | 40 | 3 00 | |
| do 1 to 2 ft | $\frac{15}{25}$ | 80 | 5 00 | |
| | | | | 27 |
| Euonymus Americana, 1 to 2 ft | 10 | 40 | 3 50 | 25 00 |
| do 2 to 4 ft | 25 | 90 | 6 00 | 40 00 |
| Fagus Ferruginea, American beech, 6 to 12 in | 10 | 40 | 3 00 | 20 00 |
| do do 1 to 2 ft. | 15 | 50 | 4 00 | 35 00 |
| Hydrangea Arborecens, 6 to 14 in | 20 | 80 | 5 00 | 45 00 |
| do 1 to 2 ft | 30 | 1 00 | 7 00 | |
| do 2 to 4 ft | 40 | 1 50 | 12 oo | |
| do 5 to 6 ft | 60 | 5 00 | | |
| Laurus Benzoin, spice bush, 6 to 12 in | 10 | 40 | 3 00 | 25 oo |
| do do 1 to 2 ft | 15 | 60 | 5 00 | 40 oo |
| do do 2 to 3 ft | $\frac{10}{25}$ | 1 00 | 8 00 | 60 oo |
| | | 60 | 4 00 | 35 00 |
| Magnolia Acuminita, 6 to 12 in | 15 | | | 35 00 |
| Rhus Aromatica, sweet sumach, 1 to 2 ft | 30 | 80 | 6 00 | |
| Robina Hispida, moss locust, 1 to 2 ft | 20 | 80 | 5 00 | |
| Sambucus Canadensis, com. elder, 2 to 4 ft | 30 | 60 | 5 00 | |
| Symphorocarpus, coral berry, 1 to 2 ft | 20 | 80 | 5 00 | |
| Tecoma Caproolata, crossvine, 6 to 12 in | 15 | 40 | 3 oo | |
| Tecoma Radicans, trumpet flower 6 to 12 in . | 15 | 40 | 3 oo | 20 oo |
| Tilla Americana, American linden, 6 to 12 in. | 15 | 40 | 3 oo | 20 oo |
| do do 4 to 6 in | 10 | 20 | 1 50 | 12 50 |
| Viburnum Acerifolium, arrow wood, 1 to 3 ft, | 20 | 60 | 5 00 | 45 00 |
| do do 3 to 5 ft | 25 | 1 00 | 8 00 | 10 |
| | 15 | 30 | 2 00 | 18 00 |
| Xanthorrhiza Apiifolia, yellow root | 10 | 30 | 2 50 | 10 00 |
| FERNS—Collect | ьd | | | |
| I LIMS-Conect | cu. | Doz. | 100 | 1000 |
| Adiantum Pedatum, maiden hair fern | | 30 | 1 00 | 5 00 |
| Dicsonia Punnctilobula, hay-scented fern | | | 80 | 4 00 |
| Osmunda Cinnamonina, cinnamon fern, clun | | | 3 00 | 10 00 |
| Osmunda Pagalie rove! forn | 1ps | 1 00 | 3 00 | $\frac{1000}{1200}$ |
| Osmunda Regalis, royal fern | | 20 | 1 00 | 5 00 |
| Polystaca Acrostichoides, Xmas fern, evergre | еп 17:11 С. | 30 | | |
| Can supply Christmas Holly, Cut Ferns and V | Vila Si | muax. | write ioi | prices. |
| CUTTINGS | 2 | | | |
| | | | 1000 | 10,000 |
| California Privett | | | $1\ 25$ | 10 00 |
| Duetzis | | | 200 | 18 00 |
| Syringas | | | 2 00 | 18 00 |
| Carolina Poplar | | | 2.00 | 16 00 |
| Silver Poplar. | | | 2 00 | 16 00 |
| Balm of Gilead | | | $\frac{5}{2}00$ | 18 00 |
| Spirea Van Houti Prunifola | | | 2 00 | 18 00 |
| | | | 2 00 | 18 00 |
| Rosea Wictrurina | | | $\frac{2}{2} \frac{00}{00}$ | 18 00 |
| Empress of China | | | | |
| White Rambler | | | 2 00 | 18 00 |
| Order early if you want cuttings. Spec | | | 2 00 | 18 00 |
| Order early if you want cuttings. Spec | cial pr | ices on l | arge lot | 8, |
| NUTS. | | | | |
| NUIS. | | | | |
| | | per bu | shel 10 | bushels |
| | | | | bushels \$ 8 00 |
| Black Walnuts | | \$1 (| 00 | |
| Black Walnuts | | \$1 (| 00 2 5 | \$ 8 00 |
| Black Walnuts Butternuts Shell Bark Hickory nuts | | \$1 (1 : 2 : | 00 25 25 | \$ 8 00 10 00 |
| Black Walnuts | | \$1 (1 : 2 : | 00 25 25 | $\begin{array}{c} \$ \ 8 \ 00 \\ 10 \ 00 \\ 20 \ 00 \end{array}$ |